Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	106	"query-by-example"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 11:29
L2	2	"query optimazation"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 11:30
L3	620	"query optimization"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 11:32
L4	0	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 11:30
L5	35	(6043940|5070032|5095344|517233 8|5297148|5313421|5315541|534 3063|5661053|5712180|6103573|6 151248|6222762|6108004|6278977 |6286005|6349290).pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 11:41
L6	7506	(data near2 (mining or warehouse))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 11:52
L7	19	1 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 11:48
L8	1	1 and 6 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 11:48
L9	40	(data near2 (mining or warehouse)) same (select$3 near2 quer$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 12:00
L10	1	9 and (decision-making)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 11:53

L11	1	(data near2 (mining or warehouse)) same ((select$3 near2 pre-defined near2 quer$3) or query-by-example)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 12:03
L12	2	(data near2 (mining or warehouse) or OLAP) same ((select$3 near2 pre-defined near2 quer$3) or query-by-example)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 12:11
L13	12	(data near2 (mining or warehouse) or OLAP) and ((select$3 near2 pre-defined near2 quer$3) or query-by-example) and ((distribut$2 near2 database$1) or wireless or web-based)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 12:12